

Port Series No. 43 Cleveland,OH

Port: **Cleveland**
Waterway: **Cuyahoga River** Mile: PWD: 31
Name: **Bituminous Products Co., Cleveland Terminal Wharf.**
Location: Left bank, Cuyahoga River, approximately 2,800 feet above West 3rd. St. Bridge. Datum: LWD
Operator: Bituminous Products Co, a subsidiary of Osborne Inc.
Owner: Osborne, Inc.
Address: 101 Mahoning Ave. Phone: 216/781-9264
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: None.
Purpose: Receipt of asphalt.
Depth Alongside (feet): 18 - 23 | - - - | - - - Latitude (decimal): 41.484167
Total Berthing Space (feet): 300 | - | - Longitude (decimal): -81.6775
Remarks: One 10-inch oil-traced pipeline extends from wharf to 12 steel storage tanks, total capacity 215,900 barrels.□

Year of Last Survey: 1999 Corps of Engrs Waterway Code: 72073 Dock Code: 360 Buffalo District

Port: **Cleveland**
Waterway: **Cuyahoga River** Mile: PWD: 30
Name: **Blue Circle Cement Co., Cuyahoga Terminal Dock.**
Location: Left bank, Cuyahoga River, approximately 1,600 feet below I-480 fixed bridges. Datum: LWD
Operator: Blue Circle Cement Co.
Owner: Blue Circle Cement Co.
Address: 250 Jefferson Ave. Phone: 216/579-1911
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: None.
Purpose: Receipt of cement.
Depth Alongside (feet): 19 - 20 | - - - | - - - Latitude (decimal): 41.482778
Total Berthing Space (feet): 1,335 | - | - Longitude (decimal): -81.67722
Remarks: Vessel pumps bulk cement through two 12-inch pipelines with 12-inch connection at wharf to surge hopper and bucket elevator at silos, average unloading rate 300 to 400 tons per hour. Four concrete storage silos of 24,000 tons. Two truck loading bays are located under the silos.

Year of Last Survey: 1999 Corps of Engrs Waterway Code: 72073 Dock Code: 371 Buffalo District

Port Series No. 43 Cleveland,OH

Port: **Cleveland**
Waterway: **Cuyahoga River** Mile: PWD: 15
Name: **Cereal Food Processors, Cleveland Dock.**
Location: Right bank, Cuyahoga River, approximately 250 feet above Center Street Bridge. Datum: LWD
Operator: Cereal Food Processors, Inc.
Owner: Cereal Food Processors, Inc.
Address: 1635 Merwin Street. Phone: 216/621-3206
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: None at wharf. Two surface tracks and three surface tracks serving bulk loading facilities at flour mill in rear; connect with Norfolk Southern Railway.
Purpose: Occasional receipt of wheat by self-unloading vessel.
Depth Alongside (feet): 20 - 23 | - - - | - - - Latitude (decimal): 41.492222
Total Berthing Space (feet): 350 | - | - Longitude (decimal): -81.70389
Remarks: Grain is received for use at adjacent flour mill. Twenty concrete storage silos, located in rear of face, have total storage capacity for 500,000 bushels of wheat.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72073 Dock Code: 700 Buffalo District

Port: **Cleveland**
Waterway: **Cuyahoga River** Mile: PWD: 36
Name: **City of Cleveland, Eagle Avenue Fireboat Wharf.**
Location: Left bank, Cuyahoga River, Collision Bend, below Eagle Avenue Bridge. Datum: LWD
Operator: City of Cleveland, Department of Public Safety, Fire Department.
Owner: City of Cleveland.
Address: 1801 Carter Road. Phone: 216/664-6321
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: None.
Purpose: Mooring city fireboat 'Celebreeze'.
Depth Alongside (feet): 18 - 20 | 0 - 16 | - - - Latitude (decimal): 41.494167
Total Berthing Space (feet): 150 | - | - Longitude (decimal): -81.69278
Remarks: Fire Station Engine Co. No. 21 is located in building in rear providing accommodations and headquarters for fireboat crew. At time of survey (1999), the fireboat was moored at the dock but was not in service. S adjacent to lower end of wharf, not used for berthing.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72073 Dock Code: 610

Port Series No. 43 Cleveland,OH

Port: **Cleveland**
Waterway: **Cuyahoga River** Mile: PWD: 14
Name: **Cleveland Marine Towing Co. Wharf.**
Location: Right bank, Cuyahoga River, approximately 550 feet above Main Avenue Viaduct. Datum: LWD
Operator: Cleveland Marine Towing Co.
Owner: Samsel Realty Co.
Address: 1310 Old River Road. Phone: 216/623-0664
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: None.
Purpose: Mooring rescue, salvage, and harbor survey vessels.
Depth Alongside (feet): 12 - 13 | - - - | - - - Latitude (decimal): 41.497778
Total Berthing Space (feet): 160 | - | - Longitude (decimal): -81.70278
Remarks: Business office is located in brick building at rear.□□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 72073 Dock Code: 703

Port: **Cleveland**
Waterway: **Cuyahoga River** Mile: PWD: 11
Name: **Cleveland-Cuyahoga County Port Authority, Dock No. 20.**
Location: Right bank, Cuyahoga River, above East Pier Light. Datum: LWD
Operator: Cleveland-Cuyahoga County Port Authority.
Owner: Cleveland-Cuyahoga County Port Authority.
Address: 101 Erieside Ave. Phone: 216/241-8004
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: One surface track on apron; connects with Norfolk Southern Railway.
Purpose: Receipt of miscellaneous bulk materials. (See Remarks)
Depth Alongside (feet): 27 | - - - | - - - Latitude (decimal): 41.5025
Total Berthing Space (feet): 775 | - | - Longitude (decimal): -81.71056
Remarks: At time of survey (1999), bulkhead was undergoing renovation. Wharf is in-line and contiguous with P.W.D. Ref. No. 12, providing 1,495 feet of berthing space. Approximately 9 acres of open storage area for misc located at rear.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 72073 Dock Code: 720

Port Series No. 43 Cleveland,OH

Port: **Cleveland**
Waterway: **Cuyahoga River** Mile: PWD: 34
Name: **Equilon Enterprises L.L.C., Cleveland Dock**
Location: Left bank, Cuyahoga River, above West 3rd. Street Bridge. Datum: LWD
Operator: Not operated.
Owner: Equilon Enterprises L.L.C.
Address: 2201 West Third Street. Phone: 216/861-3793
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 16 - 21 | - - - | - - - Latitude (decimal): 41.488056
Total Berthing Space (feet): 495 | - | - Longitude (decimal): -81.68472
Remarks: Wharf not used for waterborne commerce. At time of survey (1988 and 1999), terminal received petroleum products by inland pipeline to 6 steel storage tanks in rear, total capacity 165,700 barrels. Bulkhead is f for access.

Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72073 Dock Code: 327

Port: **Cleveland**
Waterway: **Cuyahoga River** Mile: PWD: 12
Name: **Essroc Cement Dock.**
Location: Right bank, Cuyahoga River, below Norfolk Southern Railway Bridge at river entrance. Datum: LWD
Operator: Essroc Italcementi Group.
Owner: Cleveland-Cuyahoga County Port Authority.
Address: 1101 Erieside Extended. Phone: 216/623-6000
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: One spur track serves truck and car loading bay in silos, connects with Norfolk Southern Railway.
Purpose: Receipt of cement.
Depth Alongside (feet): 27 | | Latitude (decimal): 41.500833
Total Berthing Space (feet): 720 | | Longitude (decimal): -81.70944
Remarks: Wharf is in-line and contiguous with P.W.D. Ref. No. 11, providing 1,490 feet of berthing space. Three 10-inch, pneumatic, unloading pipelines extend from wharf to two concrete cement storage silos, total capacity

Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72073 Dock Code: 710

Port Series No. 43 Cleveland,OH

Port: **Cleveland**
Waterway: **Cuyahoga River** Mile: PWD: 33
Name: **Fleet Supplies,Inc., Cuyahoga River Wharf.**
Location: Left bank, Cuyahoga River, approximately 550 feet above West 3rd.Street Bridge. Datum: LWD
Operator: Fleet Supply, Inc.
Owner: Fleet Supply, Inc.
Address: 250 Mahoning Ave. Phone: 216/621-5250
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: One surface track serves tank car loading rack; connects with Norfolk Southern Railway.
Purpose: Receipt of liquid calcium, occasional receipt of diesel fuel and gasoline by barge.
Depth Alongside (feet): 20 | - - - | - - - Latitude (decimal): 41.488889
Total Berthing Space (feet): 242 + | - | - Longitude (decimal): -81.68278
Remarks: One 6-inch pipeline extends from wharf to one steel liquid calcium storage tank, capacity 2,650,000 gallons. Two additional 6-inch pipelines extend from wharf to 6 steel petroleum products storage tanks, combine barrels. Petroleum products storage tanks also connect with inland pipeline.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 72073 Dock Code: 339 Buffalo District

Port: **Cleveland**
Waterway: **Cuyahoga River** Mile: PWD: 37
Name: **Forest City Enterprises Wharf.**
Location: Left bank, Cuyahoga River, above Carter Road Bridge. Datum: LWD
Operator: Great Lakes Towing Co.
Owner: Forest City Enterprises.
Address: 1898 Carter Road. Phone: 216/621-4854
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: One surface track extends across Carter Road through yard to face of wharf; connects with Norfolk Southern Railway.
Purpose: Mooring company-owned idle harbor tugs; occasional mooring of company-owned vessels for above-waterline repairs. (See Remarks).
Depth Alongside (feet): 18 - 23 | - - - | - - - Latitude (decimal): 41.494722
Total Berthing Space (feet): 300 | - | - Longitude (decimal): -81.69583
Remarks: Upper 700 feet of wharf subleased to marina during the recreation boating season. Wharf equipped with lines for supplying compressed air.□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 72073 Dock Code: 620 Buffalo District

Port Series No. 43 Cleveland,OH

Port: **Cleveland**
Waterway: **Cuyahoga River** Mile: PWD: 32
Name: **Inland Waters of Ohio, Inc., Cleveland Mooring.**
Location: Left bank, Cuyahoga River, approximately 2,000 feet above West 3rd. St. Bridge. Datum: LWD
Operator: Inland Waters of Ohio, Inc.
Owner: Samsel Realty Co.
Address: 2195 Drydock Ave. Phone: 216/861-3949
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: None.
Purpose: Mooring pollution control vessels.
Depth Alongside (feet): 17 - 20 | | Latitude (decimal): 41.488056
Total Berthing Space (feet): 100 | | Longitude (decimal): -81.68083
Remarks: Mooring area is confined to upper 100 feet of the riverfront property.□□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 72073 Dock Code: 350

Port: **Cleveland**
Waterway: **Cuyahoga River** Mile: PWD: 19
Name: **Lafarge Corp. Construction Materials Group, West 3rd St. Cleveland**
Location: Right bank, Cuyahoga River, below West 3rd. Street Bridge. Datum: LWD
Operator: Lafarge Corp., Construction Materials Group.
Owner: Lafarge Corp., Construction Materials Group.
Address: 2100 West 3rd. Street. Phone: 216/696-1220
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: None.
Purpose: Receipt of sand, limestone, and occasionally other bulk materials by self-unloading vessels.
Depth Alongside (feet): 24 - - | - - - | - - - Latitude (decimal): 41.4875
Total Berthing Space (feet): 1,680 | - | - Longitude (decimal): -81.68806
Remarks: Two 60-ton truck scales are available. Open storage area in rear has capacity for approximately 185,000 tons of material.□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 72073 Dock Code: 590 Buffalo District

Port Series No. 43 Cleveland,OH

Port: **Cleveland**
Waterway: **Cuyahoga River** Mile: PWD: 29
Name: **Lafarge Corps Construction Materials Group, Cleveland 'J' Wharf.**
Location: Left bank, Cuyahoga River, approximately 800 feet below I-480 bridges. Datum: LWD
Operator: Lafarge Corp. Construction Materials Group.
Owner: Lafarge Corp. Construction Materials Group.
Address: 2500 West Third Street. Phone: 216/696-1220
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: Marginal surface track located at rear of storage area: connects with Norfolk Southern Railway.
Purpose: Receipt of limestone and other miscellaneous dry bulk materials by self-unloading vessels.
Depth Alongside (feet): 19 - - | - - - | - - - Latitude (decimal): 41.481667
Total Berthing Space (feet): 550 | - | - Longitude (decimal): -81.67639
Remarks: Approximately 4 acres of open storage area is located at rear.□□
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72073 Dock Code: 378 Buffalo District

Port: **Cleveland**
Waterway: **Cuyahoga River** Mile: PWD: 24
Name: **LTV Steel Corp., Cuyahoga Fuel Oil Dock.**
Location: Right bank, Cuyahoga River, above Norfolk Southern Railway Bridge at foot of Clark Avenue. Datum: LWD
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: 3430 Campbell Road. Phone: 216/429-7564
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: River Terminal Railway: Surface tracks along rear of face join additional trackage serving steel mill; connect with Norfolk Southern Railway.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 20 - - | - - - | - - - Latitude (decimal): 41.4675
Total Berthing Space (feet): 1150 | - | - Longitude (decimal): -81.67083
Remarks: One 24-inch pipeline with two 8-inch connections at two separate locations, extends from wharf to one 285,700-barrel storage tank at steel mill in rear. In addition, storage tank is connected to 2 storage tanks No. 1 Coking Plant, total capacity 28,400 barrels and 2 tanks at LTV Corp. No. 2 Coking Plant, total capacity 11,900 barrels.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72073 Dock Code: 435 Buffalo District

Port Series No. 43 Cleveland, OH

Port: **Cleveland**
Waterway: **Cuyahoga River** Mile: PWD: 23
Name: **LTV Steel Corp., Cuyahoga Lower Dock, East Side.**
Location: Right bank, Cuyahoga River, and south side of turning basin, below River Terminal Railway Bridge. Datum: -
Operator: Not operated.
Owner: LTV Steel Corp.
Address: 3430 Campbell Road. Phone: 216/429-7564
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: River Terminal Railway: One marginal track extending along wharf and one track along rear join with additional plant trackage in rear; connect with Norfolk Southern Railway.
Purpose: Not used.
Depth Alongside (feet): 17 - 23 | - - - | - - - Latitude (decimal): 41.474444
Total Berthing Space (feet): 2566 | - | - Longitude (decimal): -81.66972
Remarks: Open storage area at rear for 74,000 tons of material. Plant water treatment facility located at rear. □
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 72073 Dock Code: 435 Buffalo District

Port: **Cleveland**
Waterway: **Cuyahoga River** Mile: PWD: 27
Name: **LTV Steel Corp., Cuyahoga Lower West Side Dock.**
Location: Left bank, Cuyahoga River, above Interstate 480 bridges. Datum: LWD
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: 3430 Campbell Road. Phone: 216/429-7564
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: River Terminal Railway: Three surface tracks along rear of center portion of wharf join additional trackage serving plant in rear; connect with Norfolk Southern Railway.
Purpose: Receipt of iron ore pellets and limestone by self-unloading vessels.
Depth Alongside (feet): 10 - 23 | - - - | - - - Latitude (decimal): 41.474444
Total Berthing Space (feet): 1,044 | - | - Longitude (decimal): -81.67056
Remarks: Limestone is received at upper portion of wharf. Open storage area has capacity for 750,000 tons of iron ore pellets and 35,000 tons of limestone. □
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 72073 Dock Code: 435 Buffalo District

Port Series No. 43 Cleveland, OH

Port: **Cleveland**
Waterway: **Cuyahoga River** Mile: PWD: 25
Name: **LTV Steel Corp., Cuyahoga Upper Dock East Side.**
Location: Right bank, Cuyahoga River, below Norfolk Southern Railway bridge at head of navigation. Datum: LWD
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: 3430 Campbell Road. Phone: 216/429-7564
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: River Terminal Railway: One surface track extends along rear of face and joins additional plant trackage; connects with Norfolk Southern Railway.
Purpose: Receipt of iron ore pellets by self-unloading vessel.
Depth Alongside (feet): 20 - 23 | - - - | - - - Latitude (decimal): 41.464444
Total Berthing Space (feet): 1,320 | - | - Longitude (decimal): -81.67472
Remarks: Ore storage trough, capacity 35,500 tons; open storage area located in rear of trough, capacity 674,000 tons of iron ore pellets. Plant water intake at upper end of wharf protected by projecting timber pile fence
Year of Last Survey: 1999 Corps of Eng'rs Waterway Code: 72073 Dock Code: 435 Buffalo District

Port: **Cleveland**
Waterway: **Cuyahoga River** Mile: PWD: 26
Name: **LTV Steel Corp., Cuyahoga West Side, Middle Dock.**
Location: Left bank, Cuyahoga River, between Norfolk Southern Railway bridges at head of navigation and at foot of Datum: LWD
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: 3430 Campbell Road. Phone: 216/429-7564
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: Cuyahoga Valley Railway: One surface track extends along rear of wharf; join with additional trackage in rear; connects with Norfolk Southern Railway.
Purpose: Receipt of iron ore pellets and limestone by self-unloading vessel; receipt of ferrous scrap and fuel oil for plant consumption.
Depth Alongside (feet): 19 - 23 | - - - | - - - Latitude (decimal): 41.467222
Total Berthing Space (feet): 1,000 | - | - Longitude (decimal): -81.67194
Remarks: Open storage area located at rear of upper portion, in storage trough and under bridge cranes, have total storage capacity for 850,000 tons of iron ore pellets and 50,000 tons of limestone. Alternate limestone for 150,000 tons. One 10-inch pipeline extends from face near lower end of wharf to 3 steel fuel oil storage tanks, total capacity 238,500 barrels.
Year of Last Survey: 1999 Corps of Eng'rs Waterway Code: 72073 Dock Code: 435 Buffalo District

Port Series No. 43 Cleveland,OH

Port: **Cleveland**
Waterway: **Cuyahoga River** Mile: PWD: 21
Name: **Marathon Ashland Petroleum L.L.C., Cleveland Asphalt Terminal Barg**
Location: Right bank, Cuyahoga River, approximately 1,600 feet above West 3rd. Street Bridge. Datum: LWD
Operator: Not operated.
Owner: USX Corp.
Address: 2000 Central Furnace Court. Phone: 216/861-6100
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: Norfolk Southern Railway tracks extend along rear of property.
Purpose: Not used.
Depth Alongside (feet): 20 - 23 | - - - | - - - Latitude (decimal): 41.489444
Total Berthing Space (feet): 858 | - | - Longitude (decimal): -81.68
Remarks: Two 8-inch pipelines, not in used at time of survey (1999), extend from concrete platform ten feet back from bulkhead to 4 steel storage tanks, capacity 187,300 barrels.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72073 Dock Code: 556 Buffalo District

Port: **Cleveland**
Waterway: **Cuyahoga River** Mile: PWD: 28
Name: **MARSULEX, Inc., Cleveland Wharf.**
Location: Left bank, Cuyahoga River, below Interstate 480 bridges. Datum: LWD
Operator: Not operated.
Owner: MARSULEX, Inc.
Address: 2545 West 3rd. Street. Phone: 773/646-2500
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: Surface track serving plant located in rear; connects with Norfolk Southern Railway.
Purpose: Not used.
Depth Alongside (feet): 10 - 20 | - - - | - - - Latitude (decimal): 41.479722
Total Berthing Space (feet): 340 | - | - Longitude (decimal): -81.67583
Remarks: Pipeline and steel storage tanks formerly located at site have been removed.□□
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72073 Dock Code: 362 Buffalo District

Port Series No. 43 Cleveland, OH

Port: **Cleveland**
Waterway: **Cuyahoga River** Mile: PWD: 17
Name: **Mid-Continent Coal & Coke Co., Cleveland Dock.**
Location: Right bank, Cuyahoga River, above Eagle Avenue Bridge. Datum: LWD
Operator: Mid-Continent Coal & Coke Co.
Owner: Mid-Continent Coal & Coke Co., and City of Cleveland.
Address: 761 Stones Levee Road. Phone: 216/283-5700
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: Two surface tracks in rear, one serving screening plant, connect with Norfolk Southern Railway.
Purpose: Shipment of coke breeze by vessel.
Depth Alongside (feet): 8 | - - - | - - - Latitude (decimal): 41.491667
Total Berthing Space (feet): 195+ | - | - Longitude (decimal): -81.6925
Remarks: Screening plant located at rear. Open storage area provides capacity for 20,000 tons of screened and unscreened material. A 210-foot wharf section is owned by the city of Cleveland and provides for a utilities river.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72073 Dock Code: 275 Buffalo District

Port: **Cleveland**
Waterway: **Cuyahoga River** Mile: PWD: 40
Name: **'Nautica Queen' Mooring Dock.**
Location: Left bank, Cuyahoga River, above Main Avenue Viaduct bridge. Datum: LWD
Operator: Nautica Queen.
Owner: Nautica Queen Entertainment Complex.
Address: 1153 Main Ave. Phone: 216/696-8888
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: None.
Purpose: Mooring of excursion vessel.
Depth Alongside (feet): 20 | | Latitude (decimal): 41.4975
Total Berthing Space (feet): 156 | | Longitude (decimal): -81.70417
Remarks: A 3-inch sewage discharge line serves vessel. Ticket office and dockside concessions located at rear. □
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72073 Dock Code: 200

Port Series No. 43 Cleveland,OH

Port: **Cleveland**
Waterway: **Cuyahoga River** Mile: PWD: 20
Name: **Ontario Stone Corp., Cuyahoga River Dock No. 2.**
Location: Right bank, Cuyahoga River, above West 3rd. Street Bridge. Datum: LWD
Operator: Ontario Stone Corp.
Owner: Ontario Stone Corp.
Address: 2000 West 3rd. Street. Phone: 216/631-3645
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: Norfolk Southern Railway tracks extend along rear of property.
Purpose: Receipt of limestone by self-unloading vessels.
Depth Alongside (feet): 22 - - | - - - | - - - Latitude (decimal): 41.488889
Total Berthing Space (feet): 565 | - | - Longitude (decimal): -81.68472
Remarks: Open storage area at rear has capacity for 100,000 tons of stone.□□
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72073 Dock Code: 160 Buffalo District

Port: **Cleveland**
Waterway: **Cuyahoga River** Mile: PWD: 47
Name: **Ontario Stone Corp., Old River Dock No. 1.**
Location: Left bank, Cuyahoga River, above Norfolk Southern Railway bridge at Cuyahoga River entrance. Datum: LWD
Operator: Ontario Stone Corp.
Owner: Ontario Stone Corp.
Address: Phone: 216/631-3645
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: None.
Purpose: Receipt of limestone by self-unloading vessels, and receipt of other bulk commodities by order.
Depth Alongside (feet): 25 - - | - - - | - - - Latitude (decimal): 41.499444
Total Berthing Space (feet): 500 | - | - Longitude (decimal): -81.70944
Remarks: Steel sheet pile bulkhead extends above and below the 275-foot section of face providing 225 feet of additional berthing space for self-unloading vessels. Open limestone storage area on wharf and in rear has tot tons.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72073 Dock Code: 050 Buffalo District

Port Series No. 43 Cleveland,OH

Port: **Cleveland**
Waterway: **Cuyahoga River** Mile: PWD: 22
Name: **Osborne Concrete and Stone Co., Cuyahoga Stone Dock**
Location: Right Bank, Cuyahoga River, approximately 2,400 feet above West 3rd. Street Datum: LWD
Bridge.
Operator: Osborne Concrete & Stone Co.
Owner: Osborne Concrete & Stone Co.
Address: 2100 Central Furnace Court. Phone: 440/357-5562
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: None.
Purpose: Receipt of gravel by self-unloading vessel, occasional receipt and shipment of iron ore.
Depth Alongside (feet): 28 | | Latitude (decimal): 41.4875
Total Berthing Space (feet): 550+ | | Longitude (decimal): -81.68
Remarks: Approximately 27 acres of open storage space and concrete batch plant located at rear. Sand is received by truck.□

Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72073 Dock Code: 553

Port: **Cleveland**
Waterway: **Cuyahoga River** Mile: PWD: 18
Name: **River Dock, Inc. Dock.**
Location: Right bank, Cuyahoga River, below Norfolk Southern Railway Bridge and Inner Belt Datum: LWD
(I-71 & I-90) Freeway.
Operator: River Dock, Inc.
Owner: River Dock, Inc.
Address: 650 Harrison Street. Phone: 216/883-7200
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: None.
Purpose: Receipt of limestone by self-unloading vessels.
Depth Alongside (feet): 19 - 23 | - - - | - - - Latitude (decimal): 41.488056
Total Berthing Space (feet): 630 | - | - Longitude (decimal): -81.6925
Remarks: Open storage area has capacity for 780,000 tons of limestone. One 4 1/2-cubic yard diesel, mobile, front-end loader handles material in yard.□

Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72073 Dock Code: 598 Buffalo District

Port Series No. 43 Cleveland,OH

Port: **Cleveland**
Waterway: **Cuyahoga River** Mile: PWD: 13
Name: **Samsel Supply Co., Old River Road Dock.**
Location: Right bank, Cuyahoga River, approximately 400 feet above Main Avenue Viaduct. Datum: LWD
Operator: Samsel Supply Co.
Owner: Samsel Supply Co.
Address: 1285 Old River Road. Phone: 216/241-0333
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: None.
Purpose: Occasional mooring of pollution control vessels.
Depth Alongside (feet): 13 - 20 | - - - | Latitude (decimal): 41.498056
Total Berthing Space (feet): 205 | - | Longitude (decimal): -81.70361
Remarks: Marine supply store located at opposite side of Old River Road.□□
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72073 Dock Code: 705

Port: **Cleveland**
Waterway: **Cuyahoga River** Mile: PWD: 38
Name: **Scranton-Averell, Inc. Dock.**
Location: Left bank, Cuyahoga River, below Carter Road Bridge. Datum: LWD
Operator: Not operated.
Owner: Scranton-Averell, Inc.
Address: 1898 Carter Road. Phone:
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: None.
Purpose: Nor used.
Depth Alongside (feet): 19 - 24 | - - - | - - - Latitude (decimal): 41.493889
Total Berthing Space (feet): 763 | - | - Longitude (decimal): -81.69889
Remarks: -□□
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72073 Dock Code: 621

Port Series No. 43 Cleveland, OH

Port: **Cleveland**
 Waterway: **Cuyahoga River** Mile: PWD: 16
 Name: **Southdown Cement Co., Cleveland Dock.**
 Location: Right bank, Cuyahoga River, below Norfolk Southern Railway Bridge at foot of British Street. Datum: LWD
 Operator: Southdown Cement Co., a subsidiary of Southdown, Inc.
 Owner: Southdown Cement Co., a subsidiary of Southdown, Inc.
 Address: 1771 Columbus Road. Phone: 216/579-0656
 Town: Cleveland State: OH County: Cuyahoga
 Railway Connection: None.
 Purpose: Receipt of bulk cement.
 Depth Alongside (feet): 20 - 23 | - - - | - - - Latitude (decimal): 41.491111
 Total Berthing Space (feet): 600 | - | - Longitude (decimal): -81.7
 Remarks: Three bulk cement storage silos located at rear have capacity for 15,000 tons. Silos are equipped with one truck loading spout; maximum loading rate 1,100 tons per hour.
 Year of Last Survey: 1999 Corps of Engrs Waterway Code: 72073 Dock Code: 673 Buffalo District

Port: **Cleveland**
 Waterway: **Cuyahoga River** Mile: PWD: 35
 Name: **The Osterland Co., Cleveland 'South' Dock.**
 Location: Left bank, Cuyahoga River, below West 3rd. Street Bridge. Datum: LWD
 Operator: The Osterland Co.
 Owner: Lafarge Corp. Construction Materials Group.
 Address: 2100 West Third Street. Phone: 216/241-2215
 Town: Cleveland State: OH County: Cuyahoga
 Railway Connection: One surface track in rear; connects with Norfolk Southern Railway.
 Purpose: Receipt of limestone and other miscellaneous dry bulk commodities by self-unloading vessels.
 Depth Alongside (feet): 23 | - - - | - - - Latitude (decimal): 41.4875
 Total Berthing Space (feet): 422 + | - | - Longitude (decimal): -81.68611
 Remarks: Open storage area has capacity for 40,000 tons of material. Asphalt plant located at rear. □
 Year of Last Survey: 1999 Corps of Engrs Waterway Code: 72073 Dock Code: 329 Buffalo District

Port Series No. 43 Cleveland,OH

Port: **Cleveland**
Waterway: **Cuyahoga River** Mile: PWD: 39
Name: **United Ready Mix Dock.**
Location: Left bank, Cuyahoga River, below Norfolk Southern Railway bridge at foot of British Street. Datum: LWD
Operator: United Ready Mix Inc.
Owner: Forest City Enterprise Inc.
Address: 1971 Carter Road. Phone: 216/696-1600
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: None.
Purpose: Occasional receipt of stone by self-unloading vessel.
Depth Alongside (feet): 18 - 24 | - - - | - - - Latitude (decimal): 41.491111
Total Berthing Space (feet): 895 | - - | - Longitude (decimal): -81.69889
Remarks: Open storage area is approximately 3 acres with capacity for 13,000 tons of gravel and 6,000 tons of sand. Concrete batch plant located at rear.□
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72073 Dock Code: 250 Buffalo District

Port: **Cleveland**
Waterway: **East Basin, Airport Range** Mile: PWD: 01
Name: **City of Cleveland, Harbor Police Mooring Dock.**
Location: Southeast corner of basin, east side of Burke Lakefront Airport, foot of East 43rd Street, extended. Datum: LWD
Operator: Cleveland Police Department.
Owner: City of Cleveland.
Address: 4301 North Marginal Road. Phone: 216/623-5664
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: None.
Purpose: Mooring Cleveland Police Harbor Unit vessels.
Depth Alongside (feet): 12 | 12 | Latitude (decimal): 41.523056
Total Berthing Space (feet): 45 | 33 | Longitude (decimal): -81.66806
Remarks: The lower side of the finger pier is in-line and contiguous with the lower side of the approach ramp, forming a 45-foot-long berth for largest police vessel. Two 1 1/2-inch, flexible fuel lines at wharf extend t 11.3-barrel-capacity, diesel fuel storage tank and one steel, 11.3-barrel-capacity, gasoline fuel storage tank. Office and equipment storage sheds are located at rear.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72073 Dock Code: 740

Port Series No. 43 Cleveland,OH

Port: **Cleveland**
Waterway: **East Basin, Eastern Section** Mile: PWD: 02
Name: **U.S. Coast Guard, Cleveland Harbor Station Dock.**
Location: Lakefront, East Basin, Eastern Section, approximately 600 feet east of foot of East 9th Street. Datum: LWD
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: 1055 East 9th Street. Phone: 216/522-4405
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: None.
Purpose: Mooring U.S. Coast Guard vessels.
Depth Alongside (feet): 9 - 15 | | Latitude (decimal): 41.51
Total Berthing Space (feet): 290 | | Longitude (decimal): -81.6925
Remarks: One 4-inch sewage pipeline serves wharf. Coast Guard Cleveland Harbor Station and Office of the Captain of the Port are located in rear. Open area at rear of bulkhead serves as parking lot. Exhibition submarine floating restaurant 'Hornblower' are moored at southeast corner and inner east side of basin formed by facilities at Ref. Nos. 2 and 3 and the west side of Burke Lakefront Airport.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72073 Dock Code: 743

Port: **Cleveland**
Waterway: **East Basin, Eastern Section.** Mile: PWD: 10
Name: **Cleveland-Cuyahoga County Port Authority, Berth 22 East.**
Location: Lakefront, East Basin, Eastern Section, approximately 0.2 miles east of East Pier Datum: LWD
Light at entrance to C
Operator: Not operated (See Remarks).
Owner: Cleveland-Cuyahoga County Port Authority.
Address: 101 Erieside Ave. Phone: 216/241-8004
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: None (See Remarks).
Purpose: Not used (See Remarks).
Depth Alongside (feet): 27 | | Latitude (decimal): 41.504722
Total Berthing Space (feet): 717 | | Longitude (decimal): -81.70722
Remarks: At time of survey (1999), facility was under construction. Description of wharf is as planned at time of survey. Approximately 9 acres of open storage area for miscellaneous dry bulk material will be located at
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72073 Dock Code: 722

Port Series No. 43 Cleveland,OH

Port: **Cleveland**
Waterway: **East Basin, Eastern Section.** Mile: PWD: 04
Name: **Cleveland-Cuyahoga County Port Authority, East 9th Street Pier.**
Location: Lakefront, East Basin, Eastern Section, approximately 0.9 mile east of East Pier Light Datum: LWD
at entrance to Cu
Operator: Cleveland-Cuyahoga County Port Authority.
Owner: Cleveland-Cuyahoga County Port Authority.
Address: Foot of East 9th Street Phone: 216/241-8004
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: None.
Purpose: Mooring exhibition and excursion vessels.
Depth Alongside (feet): 18 | 14 - 18 | 14 - 18 Latitude (decimal): 41.509722
Total Berthing Space (feet): 256 | 707 | 490 Longitude (decimal): -81.69667
Remarks: The Goodtime Cruise Line, Inc. operates harbor excursion boat 'Goodtime III' from inner side of L-shaped pier during the summer season. Berth formed by four vertical I-beams at 22 foot center-to-center at face of timber/rubber fenders, forming 66-foot breasting distance. Ticket office is located at rear. The exhibition vessel 'S.S. William G. Mather' ore carrier is moored on east side of pier. Face of pier is used primarily for fishing.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 72073 Dock Code: 736 Buffalo District

Port: **Cleveland**
Waterway: **East Basin, Eastern Section.** Mile: PWD: 09
Name: **Cleveland-Cuyahoga County Port Authority, Pier No. 24.**
Location: Lakefront, East Basin, Eastern Section, approximately 0.3 miles east of East Pier Datum: LWD
Light at entrance to C
Operator: Cleveland-Cuyahoga County Port Authority & Ceres Terminals Co.
Owner: Cleveland-Cuyahoga County Port Authority.
Address: 101 Erieside Ave. Phone: 216/241-8004
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: Two surface tracks extend along each side of pier, total length 2,660 feet; connect with Norfolk Southern Railway.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign trade; receipt and shipment of steel products; receipt of bulk fluorspar and bauxite and occasional receipt of newsprint.
Depth Alongside (feet): 27 - - | 27 - - | 27 - - Latitude (decimal): 41.505833
Total Berthing Space (feet): 519 | 672 | 642 Longitude (decimal): -81.70639
Remarks: Transit shed is also used as a storage warehouse. Inner 38- by 32-foot section of east side of transit shed is 2-story, concrete block construction and is used for offices. An additional 240- by 602-foot storage floor area of 144,000 square feet and minimum ceiling height of 30 feet, is located across Erieside Ave. from pier. Approximately 3 acres of asphalt paved open storage area available on pier.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 72073 Dock Code: 724 Buffalo District

Port Series No. 43 Cleveland, OH

Port: **Cleveland**
Waterway: **East Basin, Eastern Section.** Mile: PWD: 08
Name: **Cleveland-Cuyahoga County Port Authority, Pier No. 26.**
Location: Lakefront, East Basin, Eastern Section, approximately 0.4 miles east of East Pier Datum: LWD
Light at entrance to C
Operator: Cleveland-Cuyahoga County Port Authority & Ceres Terminals Co.
Owner: Cleveland-Cuyahoga County Port Authority.
Address: 101 Erieside Ave. Phone: 216/241-8004
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: None.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign trade.
Depth Alongside (feet): 25 - 27 | 25 - 26 | 25 - 26 Latitude (decimal): 41.506944
Total Berthing Space (feet): 297 | 698 | 681 Longitude (decimal): -81.705
Remarks: Transit shed is also used as a storage warehouse. West side of pier forms slip 220 feet wide with east side of Ref. No. 9. A total of approximately 1.2 acres of open storage area available on pier and at rear o side.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72073 Dock Code: 726 Buffalo District

Port: **Cleveland**
Waterway: **East Basin, Eastern Section.** Mile: PWD: 07
Name: **Cleveland-Cuyahoga County Port Authority, Stadium Wharf, Berth 28**
Location: Lakefront, East Basin, Eastern Section, approximately 0.5 miles east of East Pier Datum: LWD
Light at entrance to C
Operator: Cleveland-Cuyahoga County Port Authority.
Owner: Cleveland-Cuyahoga County Port Authority.
Address: 101 Erieside Ave. Phone: 216/241-8004
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: Two surface tracks on apron join with trackage on apron of Ref. No. 9; connect with Norfolk Southern Railway.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign trade; receipt of aluminum pigs; handling steel products and heavy-lift items.
Depth Alongside (feet): 26 - 28 | - - - | - - - Latitude (decimal): 41.506667
Total Berthing Space (feet): 710 | - | - Longitude (decimal): -81.70306
Remarks: Wharf forms slip 230 feet wide with east side of Ref. No. 8.□□
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72073 Dock Code: 728 Buffalo District

Port Series No. 43 Cleveland, OH

Port: **Cleveland**
Waterway: **East Basin, Eastern Section.** Mile: PWD: 05
Name: **Cleveland-Cuyahoga County Port Authority, Stadium Wharf, Berth 32**
Location: Lakefront, East Basin, Eastern Section, approximately 0.8 mile east of East Pier Light Datum: LWD
at entrance to Cu
Operator: Cleveland-Cuyahoga County Port Authority and Federal Marine Terminals Co., Inc.
Owner: Cleveland-Cuyahoga County Port Authority.
Address: 101 Erieside Avenue. Phone: 216/241-8004
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: Two surface tracks on apron, join with trackage on apron of Ref. Nos.6 and 7; connect with
Norfolk Southern Railway.
Purpose: Receipt and shipment of containerized and conventional general cargo in foreign trade; receipt of
aluminum pigs; handling steel products.
Depth Alongside (feet): 27 - - | - - - | - - - Latitude (decimal): 41.51
Total Berthing Space (feet): 712 | - | - Longitude (decimal): -81.69806
Remarks: -□□
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72073 Dock Code: 732 Buffalo District

Port: **Cleveland**
Waterway: **East Basin, Eastern Section.** Mile: PWD: 06
Name: **Cleveland-Cuyahoga County Port Authority, Stadium Wharf, Berths 28**
Location: Lakefront, East Basin, Eastern Section, approximately 0.7 miles east of East Pier Datum: LWD
Light at entrance to C
Operator: Cleveland-Cuyahoga County Port Authority & Federal Marine Terminals Co., Inc.
Owner: Cleveland-Cuyahoga County Port Authority.
Address: 101 Erieside Ave. Phone: 216/241-8004
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: Two surface tracks on apron and 2 platform-level tracks along rear of transit sheds; join
with trackage on apron of Ref. No. 7; connect with Norfolk Southern Railway.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign trade; receipt of
aluminum pigs; handling steel products.
Depth Alongside (feet): 27 - 30 | - - - | - - - Latitude (decimal): 41.509167
Total Berthing Space (feet): 1,606 | - | - Longitude (decimal): -81.70028
Remarks: Transit sheds are also used as storage warehouses. Approximately 10 acres of paved, open storage
area located on wharf and at rear of transit sheds; additional open storage area available during closed
navigatio
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72073 Dock Code: 730 Buffalo District

Port Series No. 43 Cleveland,OH

Port: **Cleveland**
Waterway: **East Basin, Eastern Section.** Mile: PWD: 03
Name: **U.S. Army Corps of Engineers, Cleveland Project Office Pier.**
Location: Lakefront, East Basin, Eastern Section, approximately 500 feet east of foot of East 9th Street. Datum: LWD
Operator: U.S. Army Corps of Engineers.
Owner: United States Government.
Address: Foot of East 9th Street. Phone: 216/522-4957
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: None.
Purpose: Mooring U.S. Army Corps of Engineers' floating equipment; handling supplies and equipment for derrick boat.
Depth Alongside (feet): 14 - 17 | 12 - 17 | 12 - 15 Latitude (decimal): 41.511389
Total Berthing Space (feet): 427 | 478 | 478 Longitude (decimal): -81.69389
Remarks: North bulkhead is in line with north side of approach to pier providing 478 feet of continuous berthing space. U.S. Army Corps of Engineers Cleveland project office is located in building at rear. A steep 13- b launching ramp is built into the east bulkhead.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72073 Dock Code: 745

Port: **Cleveland**
Waterway: **Old River** Mile: PWD: 44
Name: **Cargill Salt Division, Cleveland Mine Wharf.**
Location: Left bank, Old River, Whiskey Island, approximately 1,300 feet below head of River. Datum: LWD
Operator: Cargill Salt Division, a subsidiary of Cargill, Inc.
Owner: Cargill, Inc.
Address: 2400 Ships Channel. Phone: 216/651-7200, ex
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway.
Purpose: Shipment of graded dry bulk rock salt.
Depth Alongside (feet): 18 - 24 | - - - | - - - Latitude (decimal): 41.493333
Total Berthing Space (feet): 602 | - | - Longitude (decimal): -81.72833
Remarks: Cylindrical storage building has capacity for 36,000 tons and 6 interior storage bins located over conveyor lines have total capacity for 6,000 tons. Salt mine and plant located in rear.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72073 Dock Code: 115 Buffalo District

Port Series No. 43 Cleveland,OH

Port: **Cleveland**
Waterway: **Old River** Mile: PWD: 43
Name: **Great Lakes Towing Co., Shipyard Wharf.**
Location: Right bank, Old River, approximately 3,200 feet above Willow Street Bridge. Datum: LWD
Operator: Great Lakes Towing Co., Shipyard Division.
Owner: Cleveland-Cuyahoga County Port Authority.
Address: 4500 Division Ave. Phone: 216/621-4854
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: None.
Purpose: Mooring company-owned floating equipment for outfitting, conversion, and repair; mooring floating drydock.
Depth Alongside (feet): 13 - 20 | - - - | - - - Latitude (decimal): 41.491667
Total Berthing Space (feet): 608 | - | - Longitude (decimal): -81.72194
Remarks: A 250-ton floating drydock is moored alongside face of wharf. Company-owned-and operated marine repair facilities located in rear. Occasional repair work is performed on government, commercial, and recreation ve
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72073 Dock Code: 055 Buffalo District

Port: **Cleveland**
Waterway: **Old River** Mile: PWD: 41
Name: **LaFarge Cement Corp., Cleveland Terminal Wharf.**
Location: Right bank, Old River, upper side of Sycamore Slip, foot of Hemlock Avenue. Datum: LWD
Operator: LaFarge Cement Corp., Great Lakes Region.
Owner: LaFarge Cement Corp., Great Lakes Region.
Address: 2500 Elm Street. Phone: 216/781-9330
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: None.
Purpose: Receipt of cement.
Depth Alongside (feet): 24 - - | - - - | - - - Latitude (decimal): 41.496944
Total Berthing Space (feet): 415 | - | - Longitude (decimal): -81.70889
Remarks: Pumps on vessels unload bulk cement through two 10-inch pipelines extending from wharf to 17 concrete storage silos in rear, total capacity 36,000 tons.Trucks are loaded with bulk cement at rate of 300 tons per h bagging machines are available. One 6-inch sewer line for vessels serve wharf. Local water taxis moor at inner end of slip on opposite side.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72073 Dock Code: 178 Buffalo District

Port Series No. 43 Cleveland,OH

Port: **Cleveland**
Waterway: **Old River** Mile: PWD: 46
Name: **Ontario Stone Corp., Old River Dock No. 3.**
Location: Left bank, Old River, Whiskey Island, approximately 1,100 feet above Willow Avenue Datum: LWD Bridge.
Operator: Ontario Stone Corp.
Owner: Ontario Stone Corp.
Address: 4000 Division Ave. Phone: 216/631-3645
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: None.
Purpose: Receipt of limestone by self-unloading vessels, and receipt of other bulk commodities by order.
Depth Alongside (feet): 25 - - | - - - | - - - Latitude (decimal): 41.494722
Total Berthing Space (feet): 600 | - | - Longitude (decimal): -81.71361
Remarks: Open storage area located on wharf and in rear has capacity for approximately 200,000 tons of material.□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 72073 Dock Code: 050 Buffalo District

Port: **Cleveland**
Waterway: **Old River** Mile: PWD: 42
Name: **Ontario Stone Corp., Old River Dock No. 4.**
Location: Right bank, Old River, above Willow Avenue Bridge. Datum: LWD
Operator: Ontario Stone Corp.
Owner: Ontario Stone Corp.
Address: 4000 Division Ave. Phone: 216/631-3645
Town: Cleveland State: OH County: Cuyahoga
Railway Connection: None.
Purpose: Receipt of limestone and other bulk commodities by self-unloading vessels.
Depth Alongside (feet): 19 - 26 | - - - | - - - Latitude (decimal): 41.493611
Total Berthing Space (feet): 1,620 | - | - Longitude (decimal): -81.71361
Remarks: Open storage area located on wharf and in rear has capacity for approximately 300,000 tons of material.□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 72073 Dock Code: 715

Port Series No. 43 Cleveland, OH

Port: **Cleveland**
 Waterway: **Old River** Mile: PWD: 45
 Name: **Sand Products Corp., Old River Dock No. 1.**
 Location: Left bank, Old River, Whiskey Island, approximately 0.4 mile above Willow Avenue Bridge. Datum: LWD
 Operator: Sand Products Corp.
 Owner: Sand Products Corp.
 Address: Whiskey Island Phone: 216/631-2929
 Town: Cleveland State: OH County: Cuyahoga
 Railway Connection: None.
 Purpose: Receipt of sand by self-unloading vessels.
 Depth Alongside (feet): 20 - 25 | - - - | - - - Latitude (decimal): 41.4925
 Total Berthing Space (feet): 1,000 | - | - Longitude (decimal): -81.71556
 Remarks: Front-end loader transfers sand from stockpiles to a 24-inch feeder belt extending to a bucket elevator serving drying plant in rear; processed foundry sand is transferred from drying plant by gravity and via bu storage silos, total capacity 1,000 tons. Silos equipped with 5 truck-loading spouts.
 Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72073 Dock Code: 107 Buffalo District

Port: **Cleveland**
 Waterway: **West Basin** Mile: PWD: 48
 Name: **Oglebay Norton Terminals, Inc., 'C&P' Lakefront Wharf.**
 Location: Lakefront, West Basin, approximately 0.6 mile west of entrance to Cuyahoga River. Datum: LWD
 Operator: Oglebay Norton Terminals, Inc.
 Owner: Cleveland-Cuyahoga County Port Authority.
 Address: Whiskey Island Phone: 216/961-1010
 Town: Cleveland State: OH County: Cuyahoga
 Railway Connection: Norfolk Southern Railway: Four marginal surface tracks along rear of face and one surface track in storage area, total capacity 110 cars; connect with 250-car capacity West Breakwater Yard.
 Purpose: Receipt of iron ore, iron ore pellets, and other dry bulk commodities by self-unloading vessels.
 Depth Alongside (feet): 24 - 30 | - - - | - - - Latitude (decimal): 41.496667
 Total Berthing Space (feet): 1,875 | - | - Longitude (decimal): -81.72361
 Remarks: Steel catwalk connects east end of wharf to mooring dolphins. Concrete storage trough and open storage area provides storage for 1,000,000 tons of ore and other dry bulk material.
 Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72073 Dock Code: 010 Buffalo District
